

Image Not Available

Part Number: G790-100-12A

Description: Gasket Exhaust 4 Valve Belt
Product Details: Vee Two Gasket Sets are die cut from high quality gasket material and are supplied with 'O' Rings and Oil Seals.
UOM: each
Year from: all
Year to: all



Part Number: V2-02-7207

Description: Main Bearing (Left Hand) - Fits all 2 V + 4 V Belt to 2006
Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.
UOM: each
Year from: all
Year to: all



Part Number: V2-02-7307

Description: Main Bearing - Fits all 2 V + 4 V Belt to 2006
Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-230

Description: Straight Cut Primary Gears
Product Details: Primary Gears for all 2/4 valve Belt Drive engines. Designed with a 'hunting' tooth to prevent engine from firing on the same tooth everytime therefore greatly reducing metal fatigue and failure. Significantly lighter, increasing throttle response.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-525

Description: Aluminium Clutch Basket/Support Ring Standard
Product Details: CNC machined, hard anodised Aluminium clutch basket machined with tighter tolerances to increase basket life. Basket also features a web pattern machined into the back surface, lightening it without loosing any structural integrity.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-526

Description: Steel Clutch Basket Standard
Product Details: CNC machined case and hardened steel clutch basket, giving extremely long life spans made for hard wearing environments. Basket features Vee Two web which lightens it by 55% under OEM product.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-540

Description: Aluminium Clutch Hub Standard
Product Details: Hard anodised billet aluminium clutch hub. Machined with tighter tooth tolerances giving less clutch noise and a longer hub life. This one piece hub is 40% lighter, increases engine response and eliminates cush drive failure.
UOM: each
Year from: all
Year to: all



Part Number: V2-05-500

Description: Dobek Piggy Back Computer
Product Details: This small and compact plug and play style unit is easily fitted. This unit enables you to add fuel at the push of a button. Works hand in hand with most bolt on products.
UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-08-205

Description: 5th Layshaft Close Ratio - 24 Tooth
Product Details: 5th Layshaft - 24 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.
UOM: each
Year from: all
Year to: all



Part Number: V2-08-206

Description: 5th Mainshaft Close Ratio - 23 Tooth
Product Details: 5th Mainshaft - 23 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.
UOM: each
Year from: all
Year to: all



Part Number: V2-08-207

Description: 6th Mainshaft Close Ratio - 24 Tooth
Product Details: 6th Layshaft - 24 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.
UOM: each
Year from: all
Year to: all



Part Number: V2-08-208

Description: 6th Mainshaft Close Ratio - 23 Tooth
Product Details: 6th Mainshaft - 23 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.
UOM: each
Year from: all
Year to: all

DUCATI 748SPS

4 VALVE BELT (4VB)



Part Number: V2-09-212

Description: 94mm Dia. Magg. Piston
Product Details:
UOM: each
Year from: all
Year to: all



Part Number: V2-10-601

Description: 12.08mm Dia. Inlet 4 Valve Guide
Product Details: 12.08 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-10-602

Description: 12.15mm Dia. Inlet 4 Valve Guide
Product Details: 12.15 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-10-603

Description: 12.50mm Dia. Inlet 4 Valve Guide
Product Details: 12.50 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-10-604

Description: 12.08mm Dia. Exhaust 4 Valve Guide
Product Details: 12.08 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-10-605

Description: 12.15mm Dia. Exhaust 4 Valve Guide
Product Details: 12.15 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-10-606

Description: 12.50mm Dia. Exhaust 4 Valve Guide
Product Details: 12.50 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tufrited valves.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-201

Description: Belt Breather Tower
Product Details: CNC billet machined breather tower sealed with an O'ring and screwed together for ease of assembly and servicing. It eliminates unwanted oil leaks and is fitted with replaceable reed valves and comes in a range of colours.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-225

Description: Clutch Slave Cylinder (Up to 1999)
Product Details: Ezi-pull clutch slave cylinder to suit all 6 speed Belt Drive engines up to 2000. CNC machined from billet with a bigger piston diameter, greatly reducing the effort required to pull in the clutch. It is manufactured with three 'O Rings' to stop any clutch leakage problems as opposed to OEM's one 'O Ring'. Comes in a complete range of colours.
UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-12-225:3

Description: O-Ring Kit to Suit V2-12-225/226
Product Details: Clutch 'O Ring' set to fit V2-12-225 and V2-12-226.
UOM: kit
Year from: all
Year to: all



Part Number: V2-12-302

Description: Oil Filler Plug
Product Details: Oil Filler Plug to suit all Belt Drive engines. CNC machined from billet aluminium and sealed with an 'O ring'. Will not perish and distort from heat unlike OEM product. Comes in a range of colours.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-700

Description: Adjustable Cam Pulley
Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-700:4

Description: Cam Pulley Nut - Hexagon Type

Product Details: Cam pulley nut hexagon type. A massive improvement over the standard nut. Takes a 19mm socket and is easily undone.

UOM: each

Year from: all

Year to: all



Part Number: V2-12-703

Description: Adjustable Cam Pulley (Set 4)

Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.

UOM: kit

Year from: all

Year to: all



Part Number: V2-12-950

Description: Lambda Plug

Product Details: A billet machined plug to plug the lambda hole created to tune your engine. Zinc plated.

UOM: each

Year from: all

Year to: all



Part Number: V2-12-951

Description: Lambda Plug Weld on Fittings

Product Details: Weld on Stainless steel Lambda plug fitting for your exhaust. Essential in tuning your bike to perform at its best.

UOM: each

Year from: all

Year to: all



Part Number: V2-13-601

Description: 33mm Dia. Inlet Valve

Product Details: Inlet Valve 33mm 748 Biposto/SP/Corsa - Precision made valve manufactured from stainless steel swirl polished and tuftfrited for optimum gas flow and longer wearing life. Collet grooves are also tuftfrited for increased reliability and lower maintenance.

UOM: each

Year from: all

Year to: all



Part Number: V2-13-602

Description: 29mm Dia. Exhaust Valve

Product Details: Exhaust Valve 29mm 748 Biposto/SP/Corsa - Precision made valve manufactured from stainless steel swirl polished and tuftfrited for optimum gas flow and longer wearing life. Collet grooves are also tuftfrited for increased reliability and lower maintenance.

UOM: each

Year from: all

Year to: all



Part Number: V2-20-601

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Opening Shim Kit - 2 Per Size

Product Details: 4VO Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.

UOM: kit

Year from: 1988

Year to: 2002



Part Number: V2-20-602

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Closing Shim Kit - 2 Per Size

Product Details: 4VC Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.

UOM: kit

Year from: 1988

Year to: 2002



Part Number: V2-21-203

Description: Degree Wheel

Product Details: Degree Wheel to suit all Bevel and Belt Drive engines. An essential in any service. Big handles for extra leverage on engine and bolts directly to the crank.

UOM: kit

Year from: all

Year to: all



Part Number: V2-21-601

Description: 4 Valve Opener Shim Check Tool

Product Details: 4 Valve Opener Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.

UOM: each

Year from: all

Year to: all



Part Number: V2-21-602

Description: 4 Valve Closer Shim Check Tool

Product Details: 4 Valve Closing Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.

UOM: each

Year from: all

Year to: all

Image Not Available

Part Number: V2-22-150

Description: 98mm Dia. Profile Bore Crankcase

Product Details: Interpolate cases to accommodate for 98mm barrels. CNC machined for a precision finish and fit.

UOM: each

Year from: all

Year to: all

DUCATI 748SPS

4 VALVE BELT (4VB)

Image Not Available

Part Number: V2-23-100

Description: 54mm Throttle Body Conversion Kit
Product Details: 54mm Throttle Body Conversion. CNC machined for precision, this product offers you an easy and effective way to increase torque and overall HP. This an exchange product only.

UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-101

Description: Air Box
Product Details: 15 Litre Carbon Fibre Air Box for 748/996 - A drop on unit that looks factory and is sheer bolt on HP. This is the biggest Airbox on the market and is designed to give instant results. Works hand in hand with V2-23-100 and is worth up to 10HP.

UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-102

Description: Left Hand Air Tube
Product Details: L/H Air Tube to suit Vee Two Airbox. Manufactured from Carbon fibre with oversize throats, feeding the Airbox more air.

UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-103

Description: Right Hand Air Tube
Product Details: R/H Air Tube to suit Vee Two Airbox. Manufactured from Carbon fibre with oversize throats, feeding the Airbox more air.

UOM: each
Year from: all
Year to: all