

DUCATI 888 BIPOSTO

4 VALVE BELT (4VB)

Image Not Available

Part Number: G790-100-12A

Description: Gasket Exhaust 4 Valve Belt

Product Details: Vee Two Gasket Sets are die cut from high quality gasket material and are supplied with 'O' Rings and Oil Seals.

UOM: each

Year from: all

Year to: all

Part Number: V2-02-7207

Description: Main Bearing (Left Hand) - Fits all 2 V + 4 V Belt to 2006

Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.

UOM: each

Year from: all

Year to: all



Part Number: V2-02-7307

Description: Main Bearing - Fits all 2 V + 4 V Belt to 2006

Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.

UOM: each

Year from: all

Year to: all

Part Number: V2-03-606

Description: Camshaft - Track - Kit of 4 cams

Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm. Must have a very high compression ratio motor 13.5-1 minimum.

UOM: kit

Year from: all

Year to: all



Part Number: V2-03-606A

Description: Camshaft - Track - Kit of 2 cams inlet only

Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm.

UOM: kit

Year from: all

Year to: all

Part Number: V2-03-606S

Description: Camshaft - Track - Kit of 2 cams exhaust only

Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm.

UOM: kit

Year from: all

Year to: all



Part Number: V2-03-607

Description: Camshaft - Road / Track - Kit of 4 cams

Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.

UOM: kit

Year from: all

Year to: all

Part Number: V2-03-607A

Description: Camshaft - Road / Track - Kit of 2 cams inlet only

Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.

UOM: kit

Year from: all

Year to: all



Part Number: V2-03-607S

Description: Camshaft - Road / Track - Kit of 2 cams exhaust only

Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.

UOM: kit

Year from: all

Year to: all

Part Number: V2-04-230

Description: Straight Cut Primary Gears

Product Details: Primary Gears for all 2/4 valve Belt Drive engines. Designed with a 'hunting' tooth to prevent engine from firing on the same tooth everytime therefore greatly reducing metal fatigue and failure. Significantly lighter, increasing throttle response.

UOM: each

Year from: all

Year to: all



Part Number: V2-04-525

Description: Aluminium Clutch Basket/Support Ring Standard

Product Details: CNC machined, hard anodised Aluminium clutch basket machined with tighter tolerances to increase basket life. Basket also features a web pattern machined into the back surface, lightening it without loosing any structural integrity.

UOM: each

Year from: all

Year to: all



Part Number: V2-04-526

Description: Steel Clutch Basket Standard

Product Details: CNC machined case and hardened steel clutch basket, giving extremely long life spans made for hard wearing environments. Basket features Vee Two web which lightens it by 55% under OEM product.

UOM: each

Year from: all

Year to: all

DUCATI 888 BIPOSTO

4 VALVE BELT (4VB)



Part Number: V2-04-540

Description: Aluminium Clutch Hub Standard

Product Details: Hard anodised billet aluminium clutch hub. Machined with tighter tooth tolerances giving less clutch noise and a longer hub life. This one piece hub is 40% lighter, increases engine response and eliminates clutch drive failure.

UOM: each
Year from: all
Year to: all



Part Number: V2-05-500

Description: Dobek Piggy Back Computer

Product Details: This small and compact plug and play style unit is easily fitted. This unit enables you to add fuel at the push of a button. Works hand in hand with most bolt on products.

UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-08-205

Description: 5th Layshaft Close Ratio - 24 Tooth

Product Details: 5th Layshaft - 24 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.

UOM: each
Year from: all
Year to: all



Part Number: V2-08-206

Description: 5th Mainshaft Close Ratio - 23 Tooth

Product Details: 5th Mainshaft - 23 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.

UOM: each
Year from: all
Year to: all



Part Number: V2-08-207

Description: 6th Mainshaft Close Ratio - 24 Tooth

Product Details: 6th Layshaft - 24 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.

UOM: each
Year from: all
Year to: all



Part Number: V2-08-208

Description: 6th Mainshaft Close Ratio - 23 Tooth

Product Details: 6th Mainshaft - 23 tooth Close Ratio to suit 748SP Belt Drive gearbox only. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-601

Description: 12.08mm Dia. Inlet 4 Valve Guide

Product Details: 12.08 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-602

Description: 12.15mm Dia. Inlet 4 Valve Guide

Product Details: 12.15 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-603

Description: 12.50mm Dia. Inlet 4 Valve Guide

Product Details: 12.50 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-604

Description: 12.08mm Dia. Exhaust 4 Valve Guide

Product Details: 12.08 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-605

Description: 12.15mm Dia. Exhaust 4 Valve Guide

Product Details: 12.15 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-10-606

Description: 12.50mm Dia. Exhaust 4 Valve Guide

Product Details: 12.50 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-201

Description: Belt Breather Tower
Product Details: CNC billet machined breather tower sealed with an O'ring and screwed together for ease of assembly and servicing. It eliminates unwanted oil leaks and is fitted with replaceable reed valves and comes in a range of colours.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-225

Description: Clutch Slave Cylinder (Up to 1999)
Product Details: Ezi-pull clutch slave cylinder to suit all 6 speed Belt Drive engines up to 2000. CNC machined from billet with a bigger piston diameter, greatly reducing the effort required to pull in the clutch. It is manufactured with three 'O Rings' to stop any clutch leakage problems as opposed to OEM's one 'O Ring'. Comes in a complete range of colours.
UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-12-225:3

Description: O-Ring Kit to Suit V2-12-225/226
Product Details: Clutch 'O Ring' set to fit V2-12-225 and V2-12-226.
UOM: kit
Year from: all
Year to: all



Part Number: V2-12-302

Description: Oil Filler Plug
Product Details: Oil Filler Plug to suit all Belt Drive engines. CNC machined from billet aluminium and sealed with an 'O ring'. Will not perish and distort from heat unlike OEM product. Comes in a range of colours.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-700

Description: Adjustable Cam Pulley
Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-700:4

Description: Cam Pulley Nut - Hexagon Type
Product Details: Cam pulley nut hexagon type. A massive improvement over the standard nut. Takes a 19mm socket and is easily undone.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-703

Description: Adjustable Cam Pulley (Set 4)
Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.
UOM: kit
Year from: all
Year to: all



Part Number: V2-12-950

Description: Lambda Plug
Product Details: A billet machined plug to plug the lambda hole created to tune your engine. Zinc plated.
UOM: each
Year from: all
Year to: all



Part Number: V2-12-951

Description: Lambda Plug Weld on Fittings
Product Details: Weld on Stainless steel Lambda plug fitting for your exhaust. Essential in tuning your bike to perform at its best.
UOM: each
Year from: all
Year to: all



Part Number: V2-13-601

Description: 33mm Dia. Inlet Valve
Product Details: Inlet Valve 33mm 748 Biposto/SP/Corsa - Precision made valve manufactured from stainless steel swirl polished and tuftfritted for optimum gas flow and longer wearing life. Collet grooves are also tuftfritted for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-13-602

Description: 29mm Dia. Exhaust Valve
Product Details: Exhaust Valve 29mm 748 Biposto/SP/Corsa - Precision made valve manufactured from stainless steel swirl polished and tuftfritted for optimum gas flow and longer wearing life. Collet grooves are also tuftfritted for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-14-601

Description: Cylinder Head Upgrade Corsa Specification - Stage 2
Product Details: 4 Valve Cylinder Head Upgrade Corsa spec - machined and blended ports and manifolds, Vee Two camshafts, valves, seats and guides. Reassembled to Vee Two precision standards. Used predominately for race purposes. Dramatically increases overall torque and HP. 160hp heads. Gives approximately 15% on standard.
UOM: each
Year from: all
Year to: all

DUCATI 888 BIPOSTO

4 VALVE BELT (4VB)



Part Number: V2-20-601

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Opening Shim Kit - 2 Per Size

Product Details: 4VO Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.

UOM: kit

Year from: 1988

Year to: 2002



Part Number: V2-20-602

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Closing Shim Kit - 2 Per Size

Product Details: 4VC Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.

UOM: 1988

Year from: 2002

Year to: all



Part Number: V2-21-203

Description: Degree Wheel

Product Details: Degree Wheel to suit all Bevel and Belt Drive engines. An essential in any service. Big handles for extra leverage on engine and bolts directly to the crank.

UOM: kit

Year from: all

Year to: all



Part Number: V2-21-601

Description: 4 Valve Opener Shim Check Tool

Product Details: 4 Valve Opener Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.

UOM: each

Year from: all

Year to: all



Part Number: V2-21-602

Description: 4 Valve Closer Shim Check Tool

Product Details: 4 Valve Closing Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.

UOM: each

Year from: all

Year to: all

Image Not Available

Part Number: V2-22-150

Description: 98mm Dia. Profile Bore Crankcase

Product Details: Interpolate cases to accommodate for 98mm barrels. CNC machined for a precision finish and fit.

UOM: each

Year from: all

Year to: all



Part Number: V2-22-151

Description: 94mm Dia. 853cc Big Bore Kit

Product Details: 94mm Big Bore Kit 853cc to suit 748/748R - Nicasil barrels and forged pistons designed as a drop in kit (748R only 748 must be bored) to increase capacity size. A reliable product that produces a major increase in torque and approximately 10-15% increase in HP.

UOM: kit

Year from: all

Year to: all



Part Number: V2-22-152

Description: 98mm Dia. 996cc Big Bore Kit

Product Details: 98mm Big Bore Kit 996cc to suit 748/916 - Nicasil barrels and forged pistons designed to increase capacity size. Cases must be interpolated for this kit. A reliable product that produces a major increase in torque and approximately 20/25% - 10/15% increase in HP.

UOM: kit

Year from: all

Year to: all

Image Not Available

Part Number: V2-23-100

Description: 54mm Throttle Body Conversion Kit

Product Details: 54mm Throttle Body Conversion. CNC machined for precision, this product offers you an easy and effective way to increase torque and overall HP. This an exchange product only.

UOM: each

Year from: all

Year to: all