

Image Not Available

Part Number: G790-100-12A

Description: Gasket Exhaust 4 Valve Belt
Product Details: Vee Two Gasket Sets are die cut from high quality gasket material and are supplied with 'O' Rings and Oil Seals.
UOM: each
Year from: all
Year to: all



Part Number: V2-02-7207

Description: Main Bearing (Left Hand) - Fits all 2 V + 4 V Belt to 2006
Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.
UOM: each
Year from: all
Year to: all



Part Number: V2-02-7307

Description: Main Bearing - Fits all 2 V + 4 V Belt to 2006
Product Details: These bearings are carefully sourced from high end manufacturers and are supplied to match the specific Bearing Clearances and fitting tolerances required for their particular requirements.
UOM: each
Year from: all
Year to: all



Part Number: V2-03-606

Description: Camshaft - Track - Kit of 4 cams
Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm. Must have a very high compression ratio motor 13.5-1 minimum.
UOM: kit
Year from: all
Year to: all



Part Number: V2-03-606A

Description: Camshaft - Track - Kit of 2 cams inlet only
Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm.
UOM: kit
Year from: all
Year to: all



Part Number: V2-03-606S

Description: Camshaft - Track - Kit of 2 cams exhaust only
Product Details: A predominately race bred camshaft made to produce horsepower at high revs. Very strong above 8500rpm.
UOM: kit
Year from: all
Year to: all



Part Number: V2-03-607

Description: Camshaft - Road / Track - Kit of 4 cams
Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.
UOM: kit
Year from: all
Year to: all



Part Number: V2-03-607A

Description: Camshaft - Road / Track - Kit of 2 cams inlet only
Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.
UOM: kit
Year from: all
Year to: all



Part Number: V2-03-607S

Description: Camshaft - Road / Track - Kit of 2 cams exhaust only
Product Details: An 'R' style camshaft ground to produce maximum strength from 7500rpm. Great for road and track use.
UOM: kit
Year from: all
Year to: all



Part Number: V2-04-230

Description: Straight Cut Primary Gears
Product Details: Primary Gears for all 2/4 valve Belt Drive engines. Designed with a 'hunting' tooth to prevent engine from firing on the same tooth everytime therefore greatly reducing metal fatigue and failure. Significantly lighter, increasing throttle response.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-525

Description: Aluminium Clutch Basket/Support Ring Standard
Product Details: CNC machined, hard anodised Aluminium clutch basket machined with tighter tolerances to increase basket life. Basket also features a web pattern machined into the back surface, lightening it without loosing any structural integrity.
UOM: each
Year from: all
Year to: all



Part Number: V2-04-526

Description: Steel Clutch Basket Standard
Product Details: CNC machined case and hardened steel clutch basket, giving extremely long life spans made for hard wearing environments. Basket features Vee Two web which lightens it by 55% under OEM product.
UOM: each
Year from: all
Year to: all

DUCATI 916SPS

4 VALVE BELT (4VB)

**Part Number:** V2-04-540**Description:** Aluminium Clutch Hub Standard**Product Details:** Hard anodised billet aluminium clutch hub. Machined with tighter tooth tolerances giving less clutch noise and a longer hub life. This one piece hub is 40% lighter, increases engine response and eliminates clutch drive failure.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-05-500**Description:** Dobek Piggy Back Computer**Product Details:** This small and compact plug and play style unit is easily fitted. This unit enables you to add fuel at the push of a button. Works hand in hand with most bolt on products.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-08-225**Description:** 5th Layshaft Standard - 23 Tooth**Product Details:** 5th Layshaft - 23 tooth all 2 and 4 valve Belt Drive gearboxes. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-08-226**Description:** 5th Mainshaft Standard - 24 Tooth**Product Details:** 5th Mainshaft - 24 tooth all 2 and 4 valve Belt Drive gearboxes. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-08-227**Description:** 6th Mainshaft Standard - 28 Tooth**Product Details:** 6th Mainshaft - 23 tooth all 2 and 4 valve Belt Drive gearboxes. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-08-228**Description:** 6th Layshaft Standard - 24 Tooth**Product Details:** 6th Layshaft - 24 tooth all 2 and 4 valve Belt Drive gearboxes. CNC precision machined gear, manufactured from a case hardening alloy steel and case hardened. Compatible with standard gears.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-601**Description:** 12.08mm Dia. Inlet 4 Valve Guide**Product Details:** 12.08 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-602**Description:** 12.15mm Dia. Inlet 4 Valve Guide**Product Details:** 12.15 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-603**Description:** 12.50mm Dia. Inlet 4 Valve Guide**Product Details:** 12.50 Inlet - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-604**Description:** 12.08mm Dia. Exhaust 4 Valve Guide**Product Details:** 12.08 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-605**Description:** 12.15mm Dia. Exhaust 4 Valve Guide**Product Details:** 12.15 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all**Part Number:** V2-10-606**Description:** 12.50mm Dia. Exhaust 4 Valve Guide**Product Details:** 12.50 Exhaust - Valve Guide to suit all 4 Valve Belt Engines. CNC machined from manganese bronze which has exceptional wear properties, especially with Vee Two tuftitred valves.**UOM:** each
Year from: all
Year to: all



Part Number: V2-12-201

Description: Belt Breather Tower

Product Details: CNC billet machined breather tower sealed with an O'ring and screwed together for ease of assembly and servicing. It eliminates unwanted oil leaks and is fitted with replaceable reed valves and comes in a range of colours.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-202

Description: Corsa Racing Breather Tower

Product Details: Corsa breather tower designed predominantly for a race application, where a vacuum or big breather box is being used. Manufactured with a 30 degree angle on them for the factory breather box under the seat.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-225

Description: Clutch Slave Cylinder (Up to 1999)

Product Details: Ezi-pull clutch slave cylinder to suit all 6 speed Belt Drive engines up to 2000. CNC machined from billet with a bigger piston diameter, greatly reducing the effort required to pull in the clutch. It is manufactured with three 'O Rings' to stop any clutch leakage problems as opposed to OEM's one 'O Ring'. Comes in a complete range of colours.

UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-12-225:3

Description: O-Ring Kit to Suit V2-12-225/226

Product Details: Clutch 'O Ring' set to fit V2-12-225 and V2-12-226.

UOM: kit
Year from: all
Year to: all



Part Number: V2-12-302

Description: Oil Filler Plug

Product Details: Oil Filler Plug to suit all Belt Drive engines. CNC machined from billet aluminium and sealed with an 'O ring'. Will not perish and distort from heat unlike OEM product. Comes in a range of colours.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-601

Description: Bar Riser Triple Clamp

Product Details: A must have product for those that find the 'race' position uncomfortable in everyday riding. This product allows you to lift the clip-ons over the top of the triple clamp. CNC billet machined for a factory look.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-700

Description: Adjustable Cam Pulley

Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-700:4

Description: Cam Pulley Nut - Hexagon Type

Product Details: Cam pulley nut hexagon type. A massive improvement over the standard nut. Takes a 19mm socket and is easily undone.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-703

Description: Adjustable Cam Pulley (Set 4)

Product Details: CNC machined billet aluminium pulleys hard anodised, in a range of colours. Allow you the ability to time your camshafts to the degree. All pulley kits come supplied with holding tool and instructions.

UOM: kit
Year from: all
Year to: all



Part Number: V2-12-950

Description: Lambda Plug

Product Details: A billet machined plug to plug the lambda hole created to tune your engine. Zinc plated.

UOM: each
Year from: all
Year to: all



Part Number: V2-12-951

Description: Lambda Plug Weld on Fittings

Product Details: Weld on Stainless steel Lambda plug fitting for your exhaust. Essential in tuning your bike to perform at its best.

UOM: each
Year from: all
Year to: all



Part Number: V2-13-607

Description: 33mm Dia. Exhaust Valve

Product Details: Exhaust Valve 33mm 4V Belt 888/916 Biposto/S - Precision made valve manufactured from stainless steel swirl polished and tufted for optimum gas flow and longer wearing life. Collet grooves are also tufted for increased reliability and lower maintenance.

UOM: each
Year from: all
Year to: all

DUCATI 916SPS

4 VALVE BELT (4VB)



Part Number: V2-13-608

Description: 33mm Dia. Inlet Valve
Product Details: Inlet Valve 33mm 4V Belt 888/916 Biposto/S - Precision made valve manufactured from stainless steel swirl polished and tufrited for optimum gas flow and longer wearing life. Collet grooves are also tufrited for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-13-609

Description: 29mm Dia. Exhaust Valve
Product Details: Exhaust Valve 29mm 4V Belt 888/916 Biposto/S - Precision made valve manufactured from stainless steel swirl polished and tufrited for optimum gas flow and longer wearing life. Collet grooves are also tufrited for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-13-610

Description: 34mm Dia. Inlet Valve
Product Details: Inlet Valve 34mm 4V Belt 888/916 Biposto/S - Precision made valve manufactured from stainless steel swirl polished and tufrited for optimum gas flow and longer wearing life. Collet grooves are also tufrited for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-13-611

Description: 33mm Dia. Inlet Valve
Product Details: Inlet Valve 36mm 888/916Corsa/916SPS/996 Biposto / SPS - Precision made valve manufactured from stainless steel swirl polished and tufrited for optimum gas flow and longer wearing life. Collet grooves are also tufrited for increased reliability and lower maintenance.
UOM: each
Year from: all
Year to: all



Part Number: V2-20-601

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Opening Shim Kit - 2 Per Size
Product Details: 4VO Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.
UOM: kit
Year from: 1988
Year to: 2002



Part Number: V2-20-602

Description: 7mm Stem, 4 Valve Belt & DS 2 Valve Range Closing Shim Kit - 2 Per Size
Product Details: 4VC Shim Card Early 4V - 2 per size - CNC machined and through hardened for longer lasting shim, keeping service time and costs down to a minimum.
UOM: kit
Year from: 1988
Year to: 2002



Part Number: V2-21-203

Description: Degree Wheel
Product Details: Degree Wheel to suit all Bevel and Belt Drive engines. An essential in any service. Big handles for extra leverage on engine and bolts directly to the crank.
UOM: kit
Year from: all
Year to: all



Part Number: V2-21-601

Description: 4 Valve Opener Shim Check Tool
Product Details: 4 Valve Opener Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.
UOM: each
Year from: all
Year to: all



Part Number: V2-21-602

Description: 4 Valve Closer Shim Check Tool
Product Details: 4 Valve Closing Shim Check tool allows you to measure your shims precisely, speeding up service times and giving you the ability to reorder shims accurately.
UOM: each
Year from: all
Year to: all



Part Number: V2-22-152

Description: 98mm Dia. 996cc Big Bore Kit
Product Details: 98mm Big Bore Kit 996cc to suit 748/916 - Nicasil barrels and forged pistons designed to increase capacity size. Cases must be interpolated for this kit. A reliable product that produces a major increase in torque and approximately 20/25% - 10/15% increase in HP.
UOM: kit
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-100

Description: 54mm Throttle Body Conversion Kit
Product Details: 54mm Throttle Body Conversion. CNC machined for precision, this product offers you an easy and effective way to increase torque and overall HP. This is an exchange product only.
UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-101

Description: Air Box
Product Details: 15 Litre Carbon Fibre Air Box for 748/996 - A drop on unit that looks factory and is sheer bolt on HP. This is the biggest Airbox on the market and is designed to give instant results. Works hand in hand with V2-23-100 and is worth up to 10HP.
UOM: each
Year from: all
Year to: all

Image Not Available

Part Number: V2-23-102

Description: Left Hand Air Tube

Product Details: L/H Air Tube to suit Vee Two Airbox. Manufactured from Carbon fibre with oversize throats, feeding the Airbox more air.

UOM: each

Year from: all

Year to: all

Image Not Available

Part Number: V2-23-103

Description: Right Hand Air Tube

Product Details: R/H Air Tube to suit Vee Two Airbox. Manufactured from Carbon fibre with oversize throats, feeding the Airbox more air.

UOM: each

Year from: all

Year to: all